

# **T9800HRT/S**

**COMMERCIAL** 

treadmill

products



feature	T9800HRT* treadmill
console	ADVANCED SMART-MATRIX™ HRT® w/ CONTACT HEART RATE
programs	Unique User Log-In, SPRINT 8, Manual, Muscle Toner, Speed Intervals, 5K, Fat Burner, Pacer, HRT Weight Loss, HRT Cardio, HRT Endurance, HRT Interval, 5 Custom
console feedback	Elevation, Speed, Distance, Time, Heart Rate, Calories, Pace, Avg. Pace, Avg. Speed, Percent Heart Rate
belt area	60" x 22"
elevation	0 to 15% Cambridge Motor Works™
speed	.5 to 12 MPH
motor	Cambridge Motor Works™ 4.2 hp AC, Integrated Drive System
deck	1" Commercial-Grade, Low Maintenance, Prewaxed Phenolic, Reversible
cushioning	8 Variable-Durometer Elastomer Cushions
belt	Siegling COOL-WEAVE™ 2-Ply Urethane High Conductivity
rollers	3.0" Crowned with Large O.D. Bearings
frame	Extra-Heavy Gauge Steel Welded
std. features	Entertainment Plug-In
options	Medical Handrails, TV Ready
dimensions	84"L x 31"W x 58"H
max. user weight	400 lbs.
product weight	355 lbs.

\* These treadmills are also available as Simple models, offering all the same features as above but without programs.

warranty	
frame	Lifetime
motor/electronics/parts	5 Years
labor	2 Years





feature	T9700HRT* treadmill
console	ADVANCED SMART-MATRIX™ HRT® w/ CONTACT HEART RATE
programs	Unique User Log-In, SPRINT 8, Manual, Muscle Toner, Speed Interval, 5K, Fat Burner, Pacer, HRT Weight Loss, HRT Cardio, HRT Endurance, HRT Interval, 5 Custom
console feedback	Elevation, Speed, Distance, Time, Heart Rate, Calories, Pace, Avg. Pace, Avg. Speed, Percent Heart Rate
belt area	60" x 20"
elevation	0 to 15% Cambridge Motor Works™
speed	.5 to 12 MPH
motor	Cambridge Motor Works™ 3.0 hp, Continuous-Duty, Internal Cooling Fan
deck	1" Commercial-Grade, Low Maintenance, Prewaxed Phenolic, Reversible
cushioning	8 Variable-Durometer Elastomer Cushions
belt	Siegling COOL-WEAVE™ 2-Ply Urethane High Conductivity
rollers	2.5" Crowned with Large O.D. Bearings
frame	Extra-Heavy Gauge Steel Welded
std. features	Entertainment Plug-In
options	Medical Handrails
dimensions	80"L x 29"W x 57"H
max. user weight	400 lbs.
product weight	300 lbs.

<sup>\*</sup> These treadmills are also available as Simple models, offering all the same features as above but without programs.

VISION FIINESS

**warranty	
frame	Lifetime
motor/electronics/parts	5 Years
labor	2 Years

<sup>\*\*</sup>Up to 6 hours of use per day.





feature	S70 suspension elliptical
console	LED w/Scrolling Alphanumeric Feedback, Customizable Upper Display, Oversized Dot-Matrix
programs	SPRINT 8, Manual, Interval, Fat Burn, Random, Target HRT, HRT Weight Loss, HRT Interval, HRT Hill, Trail 2K, Trail 5K, Trail 8K, Glute Burn, Summit Hike, Mountain Trek, Stair Climb, Fitness Test, 5 Custom
console feedback	Distance, Speed, Heart Rate, % Max Heart Rate, Watts, METs, RPM, Calories, Time, and Resistance
heart rate	Contact & Telemetric
program levels	20
resistance system	Cambridge Motor Works™ Generator
drive train	QUIET-GLIDE™ Supersilent Poly-V Belt
incline angle	15-37%
frame	Extra-Heavy Gauge Steel Welded
stride length	20"-23"
power	Self-Generating / AC Optional
options	Remote Control Grips, TV Ready
dimensions	75"L x 35"W x 68"H
max. user weight	400 lbs.
product weight	352 lbs.

*warranty	
frame	Lifetime
motor/electronics/parts	5 Years
labor	2 Years

 $<sup>^{*}</sup>$ Up to 6 hours of use per day.





feature	X70 elliptical trainer
console	LED w/Scrolling Alphanumeric Feedback, Customizable Upper Display, Oversized Dot-Matrix
programs	SPRINT 8, Manual, Interval, Fat Burn, Random, Target HRT, HRT Weight Loss, HRT Interval, HRT Hill, Trail 10K, Trail 15K, Trail 20K, Constant Watts, Interval Watts, Hill Watts, Fitness Test, 5 Custom
console feedback	Distance, Speed, Heart Rate, % Max Heart Rate, Watts, METs, RPM, Calories, Time, and Resistance
heart rate	Contact & Telemetric
program levels	20
resistance system	Cambridge Motor Works™ Generator
drive train	QUIET-GLIDE™ Supersilent Poly-V Belt
frame	Extra-Heavy Gauge Steel Welded
stride length	19 3/4"
power	Self-Generating
dimensions	80"L x 27"W x 72"H
max. user weight	400 lbs.
product weight	287 lbs.

*warranty	
frame	Lifetime
motor/electronics/parts	5 Years
labor	2 Years

<sup>\*</sup>Up to 6 hours of use per day






### **R70**

recumbent bike

### COMMERCIAL



- extra-heavy gauge steel frame for long-lasting durability
- step-thru entry provides easy access to workout position
- self-powered Cambridge Motor Works™ generator
- Comfort Arc™ seat provides adjustable lumbar control for extra comfort
- remote control grips allows for quick workout adjustments
- TV ready

feature	R70 semi-recumbent fitness bike
console	LED w/Scrolling Alphanumeric Feedback, Customizable Upper Display, Oversized Dot-Matrix
programs	Manual, Interval, Fat Burn, Watts, SPRINT 8, HRT Cardio, HRT Weight Loss, HRT Interval, HRT Hill, 5 Custom Programs, Integrated Reading Rack
console feedback	Speed, Distance, Calories, RPM, Level, Watts, Time, METS, Heart Rate, Percent Heart Rate, Target Heart Rate, Profile
heart rate	Contact & Telemetric
program levels	20
resistance system	Cambridge Motor Works™ Generator
drive train	QUIET-GLIDE™ Supersilent Poly-V Belt
frame	Extra-Heavy Gauge Steel Welded
seat	Club COMFORT ARC™ w/ Adjustable Lumbar Control
seat rail	Aluminum, 28 Positions
handlebars	Extended Console & Seat w/ Contact Heart Rate Remote Control Grips
pedals	Self-Balancing w/ Easy-Adjust Straps
power	Self-Generating Self-Generatin
options	TV Ready
dimensions	67"L x 28"W x 53"H
max. user weight	400 lbs.
product weight	159 lbs.

*warranty	
frame	Lifetime
motor/electronics/parts	5 Years
labor	2 Years

<sup>\*</sup>Up to 6 hours of use per day.





# U70

### COMMERCIAL

upright bike

products



- extra-heavy gauge steel frame for long-lasting durability
- multi-position handlebars with armrests ensure a comfortable workout position
- self-powered Cambridge Motor Works™ generator
- Comfort Arc™ upright seat provides comfort and support
- TV ready

feature	U70 upright fitness bike
console	LED w/Scrolling Alphanumeric Feedback, Customizable Upper Display, Oversized Dot-Matrix
programs	Manual, Interval, Fat Burn, Watts, SPRINT 8, HRT Cardio, HRT Weight Loss, HRT Interval, HRT Hill, 5 Custom Programs, Integrated Reading Rack
console feedback	Speed, Distance, Calories, RPM, Level, Watts, Time, METS, Heart Rate, Percent Heart Rate, Target Heart Rate, Profile
heart rate	Contact & Telemetric
program levels	20
resistance system	Cambridge Motor Works™ Generator
drive train	QUIET-GLIDE™ Supersilent Poly-V Belt
frame	Extra-Heavy Gauge Steel Welded
seat	Club COMFORT ARC™ Upright
seat rail	Chrome-Plated Steel, 15 Positions
handlebars	Multi-Position w/ Armrests
pedals	Self-Balancing w/ Easy-Adjust Straps
power	Self-Generating
options	TV Ready
dimensions	41"L x 26"W x 56"H
max. user weight	400 lbs.
product weight	124 lbs.

*warranty	
frame	Lifetime
motor/electronics/parts	5 Years
labor	2 Years

\*Up to 6 hours of use per day.





**ES700** 

COMMERCIAL

indoor cycle



- zinc-coated high-tensile steel frame prevents rust and corrosion
- poly-v belt drive for smooth, quiet performance
- microadjustable handlebar and seat accommodates users of all sizes
- comfortable Velo® saddle provides support
- high inertial 46 lb flywheel ensures a smooth, effective workout

feature	ES700 indoor cycle
seat post & handlebar stem	Stainless Steel w/ Precision Diecasting & Extensible Slider w/ Scale
drive train	Maintenance-Free Belt Drive
bottom bracket	Cro-Moly Heat Treated Axle w/ Quality SKF Sealed Roller Bearings
resistance system	Friction Brake w/ Microadjust Knob & Emergency Stop
flywheel	High Inertial, 46 lbs.
cranks	High Carbon Steel w/ Heat Treatment
pedals	Standard Alloy Pedals
handlebar	Multi-Position w/ Microadjust
seat	Comfortable Velo® Saddle
frame	Zinc-Coated High-Tensile Steel Frame
dimensions	43"L x 23.5"W x 51"H
max. user weight	300 lbs.
product weight	127 lbs.

warranty	
frame	15 Years
parts	3 Years
labor	1 Year
wear items	90 Days





### COMMERCIAL

functional trainer



- wide-open based frame is easily accessible for a bench, stability ball, or wheelchair
- multi-adjustable chrome uprights offer infinite exercise possibilities
- integrated hand grips allow for pull-ups, core, and stretching exercises
- smooth Loos & Co. nylon cables offer top-knotch performance
- co-molded adjustment and exercise handles ensure comfortable exercise movements
- convenient accessory storage keeps everything organized

feature	ST700 functional trainer
exercise instructions	Instructional Placards Define Exercise Operation and Muscles Worked
aesthetics	Comfortable Co-Molded Exercise and Height-Positioning Handles, Chrome Upright Columns, and Lightweight Composite Aluminum Bar
included accessories	Co-Molded Exercise Handles, Long Multi-Swivel Bar, Sports Handle, (2) Foot Cuffs, and 5-lb. Add-On Weight
frame construction	11-Gauge Rectangular and Oval Tubing
weight stack	160-lb. Weight Stack, Cast Iron
weight stack shields	16-Gauge Powder-Coated Solid Steel
guide rods	3/4" Chrome-Plated Tubing
chrome plating	Guide Rods, Left & Right Oval Columns
cable	Loos & Co.,3/16"-Diameter, Nylon-Coated
dimensions	57"L x 62"W x 83.75"H
max. user weight	400 lbs.
product weight	485 lbs.

warranty	
frame/welds/weight plates/guide rods	Lifetime
pulleys/bearings/ cables/shafts	5 Years
labor/linear bearings/ cables/shafts	1 Year
upholstery/grips	90 Days





feature	ST710 multi-station gym
exercise instructions	Instructional Placards Define Exercise Operation and Muscles Worked
aesthetics	Comfortable Co-Molded Exercise and Height-Positioning Handles, Chrome Plated Oval Column, Rubber Grips, 2" Diameter Round Pull Pin Handles, and Durable Double-Stitched Boltaflex® Upholstered Pads
included accessories	Co-Molded Exercise Handle, Revolving Short Bar & Lat Bar, Sports Handle, (2) Foot Cuffs, and (2) 5-lb. Add-On Weights
frame construction	11-Gauge Rectangular, Square, and Oval Tubing
weight stack	(2) 210-lb. Weight Stacks, Cast Iron
weight stack shields	16-Gauge Powder-Coated Solid Steel
guide rods	3/4" Chrome-Plated Tubing
chrome plating	Center Column, Range of Motion Adjustments
cable	Loos & Co., 3/16" & 1/4"-Diameter, Nylon-Coated
dimensions	111"L x 87"W x 84"H
max. user weight	400 lbs.
product weight	963 lbs.

warranty	
frame/welds/weight plates/guide rods	Lifetime
pulleys/bearings/ cables/shafts	5 Years
labor/linear bearings/ cables/shafts	1 Year
upholstery/grips	90 Days





multi-press

COMMERCIAL



- press arm offers several starting positions for user comfort
- backrest and seat easily adjust for proper positioning and support
- smooth Loos & Co. nylon cables offer top-knotch performance
- multi-grip press arm handles allow for exercise variation
- double-stitched Boltaflex® upholstered pads provide durable, lasting comfort
- easy-to-read instructional exercise placards

feature	ST720 multi-press
exercise instructions	Instructional Placards Define Exercise Operation and Muscles Worked
aesthetics	Comfortable Boltaflex® Upholstered Pads, 2"-Diameter Round Pull Pin Handles
frame construction	11-Gauge Rectangular, Square, and Oval Tubing
weight stack	210-lb. Weight Stack, Cast Iron
weight stack shields	16-Gauge Powder-Coated Perforated & Solid Steel
guide rods	3/4" Chrome-Plated Tubing
chrome plating	Guide Rods, Exercise Location Tube
cable	Loos & Co., 3/16"-Diameter, Nylon-Coated
dimensions	87"L x 47"W x 67"H
max. user weight	400 lbs.
product weight	562 lbs.

warranty	
frame/welds/weight plates/guide rods	Lifetime
pulleys/bearings/ cables/shafts	5 Years
labor/linear bearings/ cables/shafts	1 Year
upholstery/grips	90 Days





ST730 multi-lat

COMMERCIAL



- dual-pivot pulleys for bilateral or unilateral movements
- double-stitched Boltaflex® upholstered pads provide durable, lasting comfort
- easy-to-read instructional exercise placards
- adjustable thigh pad provides stability during exercise
- integrated hooks for convenient accessory storage

feature	ST730 multi-lat
exercise instructions	Instructional Placards Define Exercise Operation and Muscles Worked
aesthetics	Comfortable Contoured Boltaflex® Upholstered Pads, 2"-Diameter Round Pull Pin Handle
included accessories	Brushed Aluminum Dual-Swivel Lat Bar, Co-Molded Exercise Handles, Dipped Rubber Row Handle
frame construction	11-Gauge Rectangular, Square, and Oval Tubing
weight stack	210-lb. Weight Stack, Cast Iron
weight stack shields	16-Gauge Powder-Coated Perforated & Solid Steel
guide rods	3/4" Chrome-Plated Tubing
chrome plating	Guide Rods, Thigh Pad Adjustment Tube
cable	Loos & Co., 3/16"-Diameter, Nylon-Coated
dimensions	78"L x 52"W x 83"H
max. user weight	400 lbs.
product weight	504 lbs.

warranty	
frame/welds/weight plates/guide rods	Lifetime
pulleys/bearings/ cables/shafts	5 Years
labor/linear bearings/ cables/shafts	1 Year
upholstery/grips	90 Days





ab/low back

COMMERCIAL



- multiple adjustments to accommodate users of all sizes
- double-stitched Boltaflex® upholstered pads provide durable, lasting comfort
- easy-to-read instructional exercise placards
- low back pad for lumbar support

feature	ST740 ab/low back
exercise instructions	Instructional Placards Define Exercise Operation and Muscles Worked
aesthetics	Comfortable Contoured Boltaflex® Upholstered Pads, 2"-Diameter Round Pull Pin Handles
frame construction	11-Gauge Rectangular, Square, and Oval Tubing
weight stack	210-lb. Weight Stack, Cast Iron
weight stack shields	16-Gauge Powder-Coated Perforated & Solid Steel
guide rods	3/4" Chrome-Plated Tubing
chrome plating	Guide Rods, Seat Post, Exercise/Range of Motion Plate, Stabilization Support
cable	Loos & Co., 3/16"-Diameter, Nylon-Coated
dimensions	42"L x 36"W x 59"H
max. user weight	400 lbs.
product weight	421 lbs.

warranty	
frame/welds/weight plates/guide rods	Lifetime
pulleys/bearings/ cables/shafts	5 Years
labor/linear bearings/ cables/shafts	1 Year
upholstery/grips	90 Days





### COMMERCIAL

seated leg extension/curl



- angled seat for better muscle contraction
- self-aligning roller pad for users of all sizes
- double-stitched Boltaflex® upholstered pads provide durable, lasting comfort
- easy-to-read instructional exercise placards

feature	ST750 seated leg extension/curl
exercise instructions	Instructional Placards Define Exercise Operation and Muscles Worked
aesthetics	Comfortable Contoured Boltaflex® Upholstered Pads
frame construction	11-Gauge Square, Oval, and Round Tubing
weight stack	160-lb. Weight Stack, Cast Iron
weight stack shields	16-Gauge Powder-Coated Perforated & Solid Steel
guide rods	3/4" Chrome-Plated Tubing
chrome plating	Guide Rods, Range of Motion Tubes & Plates
cable	Loos & Co.,3/16"-Diameter, Nylon-Coated
dimensions	59"L x 46"W x 59"H
max. user weight	400 lbs.
product weight	434 lbs.

warranty	
frame/welds/weight plates/guide rods	Lifetime
pulleys/bearings/ cables/shafts	5 Years
labor/linear bearings/ cables/shafts	1 Year
upholstery/grips	90 Days





leg/calf press

COMMERCIAL



- adjustable seatback allows users to define desired range of motion
- oversized non-slip rubber footplate ensures extra durability and traction
- double-stitched Boltaflex® upholstery on contoured pads provide durable, lasting comfort
- easy-to-read instructional exercise placards

feature	ST760 leg/calf press
exercise instructions	Instructional Placards Define Exercise Operation and Muscles Worked
aesthetics	Comfortable Contoured Boltaflex® Upholstered Pads
frame construction	11-Gauge Rectangular, Square, and Oval Tubing
weight stack	210-lb. Weight Stack (420 lbs. Effective Resistance), Cast Iron
weight stack shields	16-Gauge Powder-Coated Perforated & Solid Steel
guide rods	3/4" Chrome-Plated Tubing
chrome plating	Guide Rods, Range of Motion Adjustment
cable	Loos & Co., 3/16"-Diameter, Nylon-Coated
dimensions	86"L x 41"W x 75"H
max. user weight	400 lbs.
product weight	558 lbs.

warranty	
frame/welds/weight plates/guide rods	Lifetime
pulleys/bearings/ cables/shafts	5 Years
labor/linear bearings/ cables/shafts	1 Year
upholstery/grips	90 Days





COMMERCIAL

biceps/triceps



- compact, easy-entry design
- rotating handles for added wrist comfort
- double-stitched Boltaflex® upholstered pads provide durable, lasting comfort
- low back pad for lumbar support and stability
- easy-to-read instructional exercise placards

feature	ST770 biceps/triceps
exercise instructions	Instructional Placards Define Exercise Operation and Muscles Worked
aesthetics	Comfortable Contoured Boltaflex® Upholstered Pads
frame construction	11-Gauge Rectangular, Square, and Oval Tubing
weight stack	160-lb. Weight Stack, Cast Iron
weight stack shields	16-Gauge Powder-Coated Perforated & Solid Steel
guide rods	3/4" Chrome-Plated Tubing
chrome plating	Guide Rods, Range of Motion Plate & Height Adjustment Tube
cable	Loos & Co., 3/16"-Diameter, Nylon-Coated
dimensions	42"L x 33"W x 59"H
max. user weight	400 lbs.
product weight	416 lbs.

warranty	
frame/welds/weight plates/guide rods	Lifetime
pulleys/bearings/ cables/shafts	5 Years
labor/linear bearings/ cables/shafts	1 Year
upholstery/grips	90 Days





feature	ST780 adjustable bench
aesthetics	Comfortable Contoured Boltaflex® Upholstered Pads
frame construction	11-Gauge Rectangular, Square, and Oval Tubing
chrome plating	Height Adjustment Tube
dimensions	61"L x 26"W x 19"H
max. user weight	800 lbs.*
product weight	416 lbs.
*Includes user and external	

warranty	
frame/welds/weight plates/guide rods	Lifetime
pulleys/bearings/ cables/shafts	5 Years
labor/linear bearings/ cables/shafts	1 Year
upholstery/grips	90 Days

